

## **DIVISION OF LICENSING**

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552 Email: <a href="mailto:oec.licensing@ct.gov">oec.licensing@ct.gov</a> Website: <a href="www.ctoec.org">www.ctoec.org</a>

## CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Progr	ram					License				ate of	
Name						Number				nspection	
						Expiration Date				ime of aspection	
Addr	ess					Telephone				icensed apacity	
						Hours of Operation			Iı	nfant/Toddler apacity	•
Is this	a Change of Add	ress?	Yes?		No?	Орегация				ummer Care	
New						Minimum	1	Maximum		Water	
Addre	ss					Age Served		Age Served		Supply	
						Program's Email					
Opera	tor					Name of Inspector					
Direct	or			, ()		Inspector's Email					
	liant = X ompliant = <mark>O</mark>	# of Inf - Todd Present		# of Total Children Present	# 0 Staff Present	Type of Inspection					
				LICENS	urt proc	DURES 19	a-79-2a				
	1. Local Health				4	.//	<b>&gt;</b>				
	Inspection Date:				•	<b>\</b>					
	1a. False or					-	<del>, /</del>				
	Misleading						4.77				
	Statements										
				AD	MINISTRAT	ION 19a-79-	-3a	•			
	1b. Administrat	tion									
	1bb. Capacity										
	2. New Staff –										
	Employee Orientation										
	3. Annual Staff Policy Training										
	3b. Managing cl behavior	hild									
	4. Documentation Behavior M. Tech Discussed w/parer	1									
	4b. Failure to report										

5. Notification of Change	
6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
7. Daily Attendance Records- staff and children	
	ITEMS POSTED – ACCESSIBLE
	TIEMS TOSTED - ACCESSIBLE
8. License	
9. Fire Marshal certificate	
Date	
10. OEC Complaint procedure	
11. Food Service Certificate	<u>N/A?</u>
Date	
12. Menus	40>
13. Emergency plans	AMD
14. No Smoking Signs	N/A?
15. Radon Test Date Results	N/A?
15a. Developmental Milestones	
15b. Access	
15bb. Endorsements	
	STAFFING 19a-79-4a
15c. Staffing	
16. Staff Health records – TB tests	
17. Professional development	
18. Disciplinary actions	
18b. Background checks	

19. Designated Head Teacher					
20. Two Staff present					
20a. Staff Qualities					
21. Ratio: 1 staff to 10 children					
21b. Supervision					
22. Group Size – maximum 20 children					
23. Designated director - Training					
24. CPR Certified Staff (Group Home N/A)					
25. First Aid Trained Staff					
26. Consultants- Agreements and Contracts	4	5>			
27. Logs – Visits documented		7/	V.		_
Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A?
Contracts			ペンン		
Logs					
Do they take childre	en swimming?	S	WIMMING		
28. Non-swimmers identified				<u>(,                                    </u>	
29. Staff/Child Ratios					
30. CPR certified staff (20 years of age)					
31. Lifeguard certified - supervision					
		RECORD K	<b>EEPING 19a-79-5a</b>		
32. Enrollment					
information					
33. Emergency medical permission					
24 4 41 1 1					
34. Authorized release permission					

	37. Child health	
	records and	
	immunizations	
	mmunizations	
	38. Individual care	
	plan (signed by	
	parents and staff)	
	1	
	39. Injury, Illness,	
	Accident reports	
	_	
		HEALTH AND SAFETY 19a-79-6a
		11D11 111 11 11 11 11 11 11 11 11 11 11
	40. Nutritious	
	snacks and meals	
	(required food	
	groups)	
	41. Proper	
	41.110pei	
	refrigeration	
	(max 45°)	
	42. Kitchen	N/A?
	separated	
	p	
	43. Hand washing -	
	before eating or	
	food handling	
	44. First Aid Kit(s)	
	- Indoor, Outdoor,	
	Field Trips, Inventory	
	riela Trips, inventory	
_		PHYSICAL PLANT 19a-79-7a
		Jilliter El El III I I I I I I I I I I I I I I I
	45. License	
	premises – clean,	> 1 / 1 / 2
	premises – clean,	4///
	good repair, hazard	
	free	
	47b. Plans for new	
	construction,	
	expansion, renovation	
	or conversion	
	48. Sanitary	
	drinking fountains	<b>4./4</b>
	<ul> <li>disposable cups</li> </ul>	
	49. Lead Water	Bacterial/Chemical
	Test (N/A?)	Test (N/A?)
	50. Walkways	
	maintained	
	51. Designated staff	
	toilet/sink	
	52. All openings for	
	ventilation screened	
	ventilation screened	
<b>—</b>	#2 XX 1	
	53. Windows	
	protected to prevent	
	falls	
	54. Glass protected	
	up to 36"	
	-P 20	
-	55. Overhead doors	
	<ul> <li>locking devices,</li> </ul>	
	spring protectors	
	56. Exits, Hallways	
	L CO. LAILS, HAHWAYS	
	and Stairs	
	and Stairs	
	and Stairs unobstructed	

57. Individual	
storage of clothing	
and bedding	
70 C 1:	
58. Smoking prohibited	
pronibited	
59. Matches and	
lighters inaccessible	
o .	
(0 El 4 ' l 64	
60. Electrical safety	
<ul><li>outlets/cords</li></ul>	
(1 m n )	
61. Toileting needs	
met	
	<b>.</b>
62. Required toilets,	
sinks, supplies	
,	
(2 P # 1 1	
63. Potty chairs –	<b>1</b>
nonporous,	<b>1</b>
emptied, disinfected	<b>1</b>
64. Hand washing	<del> </del>
after toileting – staff	<b>1</b>
and children	
and children	<b>.</b>
65. Ventilation in	
toilet rooms	
tonetrooms	
66. Air temperature	
65 degrees,	
thermometer	
affixed	1/1/
67. Water	4.1 V / X
temperature	
60° – 115°	4 6 1 5
68. Portable space	· 29 /
heaters	
neaters	<b>4</b> . <b>A</b>
(0 XX/ II III	
69. Walls, ceilings,	
floors and rugs – clean, good repair	
ciean, good repair	
70. Rugs secure	
70. Rugs secure	
71. Hot water,	
71. Hot water, steam pipes	
71. Hot water,	
71. Hot water, steam pipes protected	
71. Hot water, steam pipes protected 72. Working phone	
71. Hot water, steam pipes protected	
71. Hot water, steam pipes protected 72. Working phone	
71. Hot water, steam pipes protected  72. Working phone on each level	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency	
71. Hot water, steam pipes protected  72. Working phone on each level	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted  74. Adequate lighting - 50/30	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted  74. Adequate lighting - 50/30 candle feet	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted  74. Adequate lighting - 50/30 candle feet  75. Light fixtures	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted  74. Adequate lighting - 50/30 candle feet  75. Light fixtures shielded, shatter	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted  74. Adequate lighting - 50/30 candle feet  75. Light fixtures	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted  74. Adequate lighting - 50/30 candle feet  75. Light fixtures shielded, shatter proof	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted  74. Adequate lighting - 50/30 candle feet  75. Light fixtures shielded, shatter proof  76. Potentially	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted  74. Adequate lighting - 50/30 candle feet  75. Light fixtures shielded, shatter proof  76. Potentially hazardous	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted  74. Adequate lighting - 50/30 candle feet  75. Light fixtures shielded, shatter proof  76. Potentially	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted  74. Adequate lighting - 50/30 candle feet  75. Light fixtures shielded, shatter proof  76. Potentially hazardous substances locked	
71. Hot water, steam pipes protected  72. Working phone on each level  73. Emergency numbers posted  74. Adequate lighting - 50/30 candle feet  75. Light fixtures shielded, shatter proof  76. Potentially hazardous	

78. Stairs protected,	
good repair, handrails	
79. Pets – maintained, care	Y/N
plan	
80. Operable CO	N/A?
detector on each level	
81. Program space-	
adequate square	
footage per child	
82. Equipment	
clean, good repair, safe, non-toxic	
83. Cots stored, maintained,	
adequate number	
84. Developmentally	
appropriate	
equipment	
85. Hot tubs, spas,	Y/N
saunas – locked and	
inaccessible	
86. No weapons, no facsimile of a	
firearm on premises	<b>( )</b>
	OVERDOOD CRACE
	OUTDOOR SPACE
87. Outdoor space - adequate square	
footage per child	
88. Impact	
absorbing material under equipment	
89. Playground free from hazards	
92. Equipment	
anchored, safely arranged	
93. Outdoor play	
area protected,	
fenced	
94. Drinking water	
available, accessible	
	EDUCATIONAL REQUIREMENTS 19a-79-8a
95. Written plan for	
daily program available to	
parents/staff	
96. Schedule –	Activity choices: developmentally appropriate, flexible, meets individual needs  Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
Activity choices and Program	11 ogram includes. indoor/outdoor, gross/fine motor skins, snacks/means, reso/steep/quiet time, toneting and clean up
Ü	
	ADMINISTRATION OF MEDICATIONS 19a-79-9a
97. Written policies,	
procedures	
98. Training outline on file	

	NONPRESCRIPTION TOPICAL MEDICATIONS
99. Administration, parent permission, MAR	
100. Labeling, storage	
	ORAL/TOPICAL/INHALENT MEDICATIONS
101. Med trained staff, certificates O/T/I Injectable	
102. Authorized prescriber, parent permission, MAR	
103. Labeling, storage	
104. Unused, expired meds returned/disposed	
	SELF-ADMINISTRATION
105. Authorized prescriber, parent permission, MAR	
106. Labeling, storage	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
107. Approved petition for special medication authorization	MA
Is there an approved endorsement?	INFANT/TOPOLER ENDORSEMENT 19a-79-10
109. Approved endorsement	
110. Ratio: 1 staff to 4 children	
111. Group size: no larger than 8	
112. Physical barriers, groups of 8 (indoors and outdoors)	
113. Adequate sinks in program space	
114. Free standing, well-constructed, safe cribs	
115. Washable cots	
116. Chairs for feeding, stable, safety straps, locking tray	
117. Developmentally appropriate tables, chairs, equipment	
118. Refrigerators and food prop facilities	

119. Diaper area- sturdy, safety rail, nonporous, exclusive use	
120. Diaper area- washed, disinfected	
121. Diaper area- disposable paper sheets	
122. Covered waste receptacle	
123. Diaper changing policy posted, followed	
124. Hand washing policy posted, followed	
125. Individual storage of personal items	
126. Cribs/cots washed and disinfected	
127. Under 12 months- placed on back for sleeping	
128. Alternate sleep position- equipment, medical documentation	Yes No
129. Crib, bed used for infant sleeping	Na.
130. Crib, bed free from observable hazards	4470
131. Infant toys separate, washed, disinfected daily	
132. No toys, objects less than 1/1/4" diameter	
133. Plastic bags, balloons, Styrofoam objects inaccessible	
134. Health consultant, doc. of visits	
135. Infants held for bottles, indiv. attention, tummy time	
136. Written statement, feeding schedule from parent	
137. Unused portions of liquids discarded	
138. Clean Bottles, disp. bottles, approved bottle	
washing 139. Food served from dish or whole jar served	
140. Bottles individually identified with child's name	

OUTDOOR PLAY SPACE - UNDER THREE				
141. Play space fenced				
142. Outdoor equipment developmentally appropriate				
Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11			
143. Approved endorsement				
144. Activity choices appropriate				
145. Ratio – 1 staff to 10 children				
146. Group size – maximum 20 children				
147. Education Consultant appropriate				
Is there an approved endorsement?	NIGHT SARE ENDORSEMENT 19a-79-12 (10pm-5am)			
148. Approved endorsement				
149. Written program plan, supervision				
150. Staff awake and available				
151. Cot, crib, bedding, toiletries, sleep apparel				
152. Individual storage of personal items				
153. Bedding, sleeping apparel laundered weekly				
Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13			
154. Written policies and procedures				
155. On site staff trained in first aid, glucose testing 156. Training current and				
documented 157. Supervision of self-administration				
158. Equipment, supplies labeled and inaccessible				

159. Signed agreement with parents regarding equipment 160. Materials								
discarded appropriately								
161. Authorized prescriber, parent permission	prescriber, parent							
162. Documentation of test results, actions taken	of test results,							
163. Daily written parent notification								
	ADDITIONAL	VIOLATIONS						
62. Consent Order -	N/A?							
Negotiated Corrective Action Plan								
YES or NO?	WERE VIOLATIONS CITED I	URING THIS	VISIT?					
<b>DISCUSSIONS:</b>	0							
	4 \ >							
	N N							
	1/1	1						
		$\langle \mathcal{L} \rangle_{\infty}$						
		~ /						
	SAMO LA							
COMMENTS:								
	NOTE: Items left blank on this form were not monitored during this visit. Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.							
APPLICANTS: You MAY	NOT OPERATE until all requirements have be	n met and a license ha	s been issued by the Agency.					
	DATE CORRECTIONS							
(Signature of OEC Represent	tative) (Signature of OEC Representative)	DUE BY:	(Signature of Person in Charge)					
(Printed Name)	(Printed Name)		(Printed Name)					